

May I suggest? Comparing Three PLE Recommender Strategies

Mödritscher, Felix; Krumay, Barbara; El Helou, Sandy; Gillet, Denis; Nussbaumer, Alexander; Albert, Dietrich; Dahn, Ingo; Ullrich, Carsten

Published in:
Digital Education Review

Published: 01/12/2011

Document Version
Publisher's PDF, also known as Version of record

[Link to publication](#)

Citation for published version (APA):

Mödritscher, F., Krumay, B., El Helou, S., Gillet, D., Nussbaumer, A., Albert, D., Dahn, I., & Ullrich, C. (2011). May I suggest? Comparing Three PLE Recommender Strategies. *Digital Education Review*, 20, 1-13.

May I Suggest? Comparing Three PLE Recommender Strategies

Felix Mödritscher

felix.modritscher@wu.ac.at

Barbara Krumay

barbara.krumay@wu.ac.at

Vienna University of Economics and Business, Austria

Sandy El Helou

sandy.elhelou@epfl.ch

Denis Gillet

denis.gillet@epfl.ch

Ecole Polytechnique Fédérale de Lausanne (EPFL), Switzerland

Alexander Nussbaumer

alexander.nussbaumer@tugraz.at

Dietrich Albert

dietrich.albert@tugraz.at

Graz University of Technology, Austria

Ingo Dahn

dahn@uni-koblenz.de

University of Koblenz-Landau, Germany

Carsten Ullrich

ullrich_c@sjtu.edu.cn

Shanghai Jiao Tong University, China

Abstract

Personal learning environment (PLE) solutions aim at empowering learners to design (ICT and web-based) environments for their learning activities, mashing-up content and people and apps for different learning contexts. Widely used in other application areas, recommender systems can be very useful for supporting learners in their PLE-based activities, to help discover relevant content, peers sharing similar learning interests or experts on a specific topic. In this paper we examine the utilization of recommender technology for PLEs. However, being confronted by a variety of educational contexts we present three strategies for providing PLE recommendations to learners. Consequently, we compare these recommender strategies by discussing their strengths and weaknesses in general.

Keywords

Personal learning environments; Recommender technology; Federated search; collaborative recommendations; Community-based recommendations; Psycho-pedagogical recommender; Technology review.

I. Introduction

Over the last decades, recommender systems have been successfully applied in various areas, like online retailing (cf. Amazon) or social networking (cf. Facebook). Due to the success of this kind of technology, research on technology-enhanced learning (TEL) has started to deal with recommender strategies for learning, as documented by workshop proceedings (Manouselis et al., 2010) and special issues in journals (Santos and Boticario, 2011). Addressing more learner-centric TEL developments, recommendations seem to be a powerful tool for personal learning environment (PLE) solutions (Mödritscher, 2010).

Unlike traditional LMS (Learning Management Systems) where content is predefined, PLEs are based on "soft" context boundaries (Wilson et al., 2007), with resources and apps being added at run time. In such "open corpus" environments (Brusilovsky and Henze, 2007), personalized recommendations give learners the opportunity to take the best of an environment where shared content differs in quality, target audience, subject matter, and is constantly expanded, annotated, and repurposed (Downes, 2010).

As being addressed within the EU project 'ROLE' (abbreviation for 'Responsive Open Learning Environments', cf. <http://www.role-project.eu>), this paper deals with the generation and provision of recommendations which should support learners in using PLE technology. Such recommendations could comprise artifacts, peers or experts, pre-defined PLE designs as well as shared experiences which are helpful in designing or making use of PLEs for learning (Mödritscher, 2010). As the ROLE project deals with a wide range of educational scenarios, we present three different strategies, each one aiming at supporting certain needs of learners.

The paper is structured as follows. The next section summarizes our understanding of personal learning environments and gives a brief overview of recommenders for TEL and PLEs. Then, we

describe the three recommender approaches developed in the ROLE project. A discussion of the benefits and limitations of applying each approach in PLEs follows, before the paper is concluded and future work is summarized.

II. PLEs, PLE recommendations, and related work

According to Henri et al. (2008), personal learning environments (PLEs) refer to a set of learning tools, services, and artifacts gathered from various contexts to be used by the learners. Figure 1 depicts a scenario where a PLE is used for student collaboration. A learner is involved in two activities, an individual tutoring session in which she consults the facilitator via Facebook and a task in which she collaboratively works on an outcome together with a peer actor using four different tools (RSS Feed, Google, YouTube, and Twitter). This example illustrates how learners interact with their PLEs consisting of different entities, i.e. tools, content artifacts (like emails or Tweets), peer actors, etc.




Figure 1. Example scenario for PLE-based collaboration (see also Wild et al. (2008))

According to Van Harmelen (2008), web-based PLEs aim at empowering learners to design (ICT-based) environments for their activities by enabling them to build their own learning environments, where they can discover, create, reuse, and share content and applications as well as easily expand their learner networks in order to collaborate on shared outcomes and acquire necessary (professional and rich professional) competences based on their self-defined learning goals. However user studies in the fields of higher education (Ullrich et al., 2010) and workplace learning (Kookken et al., 2007) evidence that learners – and even teachers! (Windschitl and Sahl, 2002) – have varying attitudes towards hand-on skills in using ICT, like PLE technology, for learning.

Against this background, PLE solutions should provide facilities for empowering learners in using this kind of technology. One possible solution is the application of recommender technology, as Resnick and Varian (1997) state that recommendations are useful if users have to make choices without sufficient personal experiences of alternatives. In that, recommendation services could be valuable for various aspects of PLE-based learning activities especially informal ones, where they help formulate concrete learning goals or needs, discover relevant artifacts and tools, and find new interactions opportunities with peers and experts sharing similar interests.

Coming to fame particularly by their application in eCommerce (like Amazon.com) or social networking platforms (like Facebook.com), recommender systems are “systems that produce individualized recommendations as output or have the effect of guiding the user in a personalized way to interesting or useful objects in a large space of possible options” (Burke, 2002). Recommenders can adopt different strategies, such as item-based ones (e.g. content artifacts or links to users), model-based ones (e.g. by applying probabilistic models or networked structures), user-based collaborative filtering (based on user-related data-sets), or hybrid strategies (Mödritscher, 2010). Verbert et al. (2011) emphasize the importance of building upon real-world data-sets, e.g. in the form of user interaction data or (implicit and explicit) user feedback, to develop and improve TEL recommender systems.

A lot of research on recommender systems for TEL has been done in the last few years. Amongst others, theoretical work on this issue proposes models and ontologies for recommendations in the educational domain (Santos and Boticario, 2010) or recommendation frameworks based on content and context (Broisin et al., 2010). On a more practical level, other approaches deal with concrete facilities like social navigation elements for educational libraries (Brusilovsky et al., 2010), ranking algorithms for lecture slides (Wang and Sumiya, 2010), people finder for workplace learning (Beham et al., 2010) or even algorithms for predicting student performance (Thai-Nghe et al., 2010).

However, in the ROLE project we are facing new challenges that have led to the development of different recommender strategies for PLE settings.

III. Three different PLE recommender approaches

A grand challenge of the EU project ROLE concerns the wide range of learning contexts to be supported through responsive open learning environments. As being targeted by the vision of the project (cf. http://www.role-project.eu/?page_id=406), ROLE claims to support learners in different educational contexts, starting with formal and informal learning scenarios at universities and at workplaces and reaching to the many contexts of lifelong learning. Moreover, it is even a goal to support transitions between these contexts, as indicated by the five test-beds (‘university to company’ transition, ‘individual to shared competences’ transition, ‘formal to informal learning’ transition etc). Consequently, the project focuses on integrating flexible infrastructures, i.e. widget technology, into existing learning platforms and on different approaches to personalize learning, amongst others by providing context-sensitive PLE recommendations to the learners.

In the upcoming subsections we briefly describe three of these recommender strategies being developed in the project and following different paradigms.

a. Federated Search and Collaborative Recommendation Widget

The first approach developed within the ROLE project is implemented as a federated search and recommendation widget exploiting the usage of resources by people sharing the same learning and/or social context. The ‘Binocs’ widget (see Figure 2) employs a federated search engine that aggregates heterogeneous resources and forwards them to a recommender system. Recommended resources ranging from wiki pages, videos, to presentations can be saved, shared, assessed, and re-purposed according to each user’s interest.




Figure 2. Federated search and collaborative recommendation widget 'Binocs' displaying the results for the query 'learn french introduction' and the opened settings menu

To rank resources, the recommender system takes the following user actions into account: (1) selecting a resource from a search result, (2) liking or disliking a search result (using a thumbs up and down feature) and (3) previewing a search result. The learning and social context can be derived from the course (e.g. all students from a course share similar interests), the business setting (e.g. all employees of the sales department) or from the user's friends and contacts in the widget container (via the OpenSocial API (Mitchell-Wong et al., 2007)). The recommender system relies on an algorithm influenced by Google's original PageRank algorithm (Page et al., 1999) and based on the 3A interaction model (El Helou et al., 2010). In the absence of previous user interaction with a resource, ranking is still possible based on the resource relevance to the search query.

A preliminary evaluation of the widget's usability and recommendation usefulness is summarized in Govaerts et al. (2011a). The evaluation helped to improve the user interface, and revealed that users prefer Google results due to their diversity. The widget's results were biased to media, while Google provides a wider range of Web pages. This can be remedied by adding more repositories to the federated search engine to drive the recommendations. On the other hand, pilot users agreed on the usefulness of the collaborative recommendations on top of the search results. We plan to evaluate the use of the recommender system further through the analysis of user online feedback (by clicking on top N recommended items) and through user surveys in real-life scenarios.

Two more usability and usefulness evaluation studies of the Binocs widget being used in a PLE were conducted (Govaerts et al., 2011b). One was done in the context of Business English courses at the Shanghai Jiao-Tong University (SJTU, <http://www.sjtu.edu.cn>) where the widget is used to provide access to social media resources (e.g. YouTube and SlideShare). The second evaluation was conducted in a business setting, more specifically within an international corporation, FESTO

(<http://www.festo.de>) where the widget is used to assist sales people by offering more efficient search over multiple product databases. The results for the widget in the business setting are more positive than in the university. Potential explanations are the higher stability of the learning environment at FESTO and the slow internet connection perceived at the SJTU, which could have biased the evaluation of our federated search and recommendation services. Moreover it was noted that extending the available repositories would be helpful to get richer search results.

b. Community-based PLE recommender

A second recommender going beyond collaborative recommendations within a single widget is implemented as part of a practice sharing approach for learning communities (Mödritscher et al., 2011). Basically, the idea is to integrate a pattern repository into existing PLE solutions so that users can voluntarily share their PLE usage experiences as 'good practices' with peers. Thereby, a pattern repository is a web-based service (with a RESTful API) which allows storing and retrieving patterns of PLE-based activities, i.e. recordings of learner interactions with a tool mash-up used for a specific situation (see also right-hand side of Figure 3). Overall, this practice sharing approach is intended to be for informal learning settings, thus supporting life-long learners in achieving their personal needs but also in succeeding at the workplace or in further education.




Figure 3. Client-sided PLE solution PACMan (left) and proposed architecture of a PLE practice sharing infrastructure (right, taken from (Mödritscher et al., 2011))

The data for this recommender approach is captured through facilities of the PLE which enables users to share such an activity pattern in a simply way. A prototypic version of the pattern repository has been integrated in two different PLE like solutions, a client-sided one (PACMan add-on, cf. <https://addons.mozilla.org/en-US/firefox/addon/176479>) and in OpenSocial-based widget containers (like iGoogle or Liferay). The format of the activity patterns to be shared has to be specified by the PLE developers who aim at integrating the pattern repository. For the PACMan add-on, the shared data is given as JSON which consists of web resources being structured according to a simple activity model (an activity is a list of user-tagged URLs; see also left-hand side of Figure

3). Data capturing in OpenSocial containers is realized through a widget which records all events triggered by the widget on a mash-up page if it has been added to this page. After pressing the 'Share' button, the recording of learner-triggered events (user interactions) is stored to the repository on the basis of the Contextualized Attention Metadata (CAM) schema.

As the format of the shared activity patterns depends on the PLE solution submitting the data, a recommender strategy has to be implemented for each data format. Currently, the standard algorithm available can be characterized as a collaborative filtering (CF) technique, as it measures the occurrences of each item (pattern titles, users having shared patterns, user-generated tags, and URLs). The recommendations can be retrieved by the PLE solutions through the RESTful API and according to different entities (patterns, peers, user tags, tools, and artifacts) and different strategies. Next to the default strategy ('global top-n') it is planned to provide local top-n recommendations. Hereby, locality could refer to the patterns used for generating the recommendations, e.g. by using the patterns of a clique or for a specific search term only. For the first case, Mödritscher (2010) describes a study in which a few patterns of a research group were captured for a (work-related) scenario. Results showed that the distribution of item occurrences follows a power law, and the network of activities, resources (URLs) and user-generated tags tend to have characteristics of a scale-free network, which is an indicator that this collaboratively created data-set is suitable for generating useful recommendations for users (cf. experiences on music recommendations by Cano et al. (2006)).

Overall, this strategy for generating and providing PLE recommendations seems to be reasonable, as it already works with smaller sets of data and allows personalizing recommendations e.g. according to learner's clique, a search term, or other contextual information. So far, recommendations are only provided on the level of activity patterns – if a user opens the 'Pattern Store' of the PACman add-on (see Figure 3) she can either query the patterns or receives recommendations in terms of the most frequent downloaded patterns. A more sophisticated strategy would be to suggest items (peers, artifacts, tools, or resource tags) according to specific situations, e.g. for a certain clique or a given goal of a learner. As retrieved sub-sets of activity patterns lead to scale-free networks, it is planned to provide two kinds of recommendations: (a) the must-sees which comprise the hubs in the PLE network structure and are always displayed to the user; (b) the might-be-of-interest suggestions, i.e. items of the long tail which are recommended from time to time or also triggered by a certain context or user interaction.

c. Psycho-pedagogical recommender

In contrast to collaborative filtering strategies, the psycho-pedagogical recommender is not based on large, community-generated data-sets. However, it is developed according to a theoretical model and relevant taxonomies (Fruhmann et al., 2010) on the one hand and user data on the other hand. In order to empower learners to build their learning environments and to use those for learning, this recommender strategy deals with providing guidance in self-regulated learning situations. While experienced learners are capable to use PLE technology without getting external support, many learners need some kind of guidance and support to go through the learning process (Dabbagh and Kitsantas, 2004; Efklides, 2009). The main aim of the psycho-pedagogical recommender is to provide guidance especially with respect to self-regulated learning and to find appropriate resources (artifacts, tools, peers) fitting to the competences of the learner.

Psycho-pedagogical recommendations are generated by taking into account two different information sources. First user model data is used, comprising learning goals and competences

required at the moment. Also preferences, such as the degree of guidance needed, are considered. A second information source is given in the form of learning models which serve as basis for the recommender algorithm. The SRL process model describes how learning should ideally happen in a self-regulated way in the context of ROLE. This model includes taxonomies of general and concrete learning activities on the cognitive and meta-cognitive level. Learning tools are related to these learning activities, which describes the way of learning possible with certain tools. These relations are specified in advance and form an important basis of the recommendation strategy.

The recommendation strategy is closely related to these learning models and to each of their elements. The recommender tries to guide the learner through the learning process according to the SRL process model. Therefore (cognitive and meta-cognitive) learning activities are recommended depending on what the learner has already done. The learner has to give feedback on what has been done (which recommended learning activity has been performed). In order to recommend learning resources (at the moment only tools), the learning goals and competences are taken into account. Tools are recommended if they fit to the goals of the learner and if learners can actually use them for successful learning.

This is realized by recommending at first activities to achieve the envisaged goals. Learning techniques and recommended activity pattern can provide a basis for this step. Each of these activities requires certain tool functionalities. Then tool descriptions, listing the functionalities of the respective tools, allow recommendation of specific tools. In this way learning spaces can be dynamically adapted to the current activities, thus avoiding a cognitive overload of the learner by tools that are actually not needed. Preferences such as the degree of guidance are also taken into account, which has an effect on the level of detail of the recommendations.




Figure 4. Psycho-pedagogical recommender realized and provided in the form of widgets (left: guidance widget, right: learning planning widget)

According to the recommendation strategy the learner is provided with two kinds of recommendations, learning activities and learning resources. Both are presented as a list of possible choices. The choices are recorded and used for further recommendations, because this

information is needed to guide the learner through the learning process. In addition to these recommendations the learner also gets explanations, which should help the learner to adopt the concept of self-regulated learning. Furthermore, the learner gets an automatically generated learning plan which is updated each time an interaction takes place. So the learner gets visual feedback and orientation on what has been planned or completed and a general overview on this state in the SRL process. The user interface has been implemented as a widget (see Figure 4). It uses a service in the background where the models and user data are stored and where the recommendation strategy is implemented.

Further work will concentrate on the integration of artifacts and peers to be recommended, usage of log data as input data, and on an improved user interface.

IV. Comparison and discussion of the PLE recommender strategies

Considering the different goals and techniques of the three PLE recommenders adopted in ROLE, it becomes clear that each one has its own benefits and shortcomings. Basically, user scenario for our recommenders could look like this. In the beginning a learner has a specific need and decides to start a new activity to address this need and achieve some goal, e.g. creating an outcome like a document together with some colleagues. In a first step, a PLE recommender has to support the learner by formulating her learning need and suggesting PLE designs so that she gets an idea of what an environment for fulfilling the need could look like. Then, after reusing and adjusting such a PLE design or creating a new one from scratch, a PLE recommender should provide links to artifacts, peer users, or tools deemed relevant to her current activity.

	Binocs widget	PLEShare	Psycho-pedag. recommender
Recommender strategy	Collaborative Filtering (CF), PageRank-like, content-based	CF and information retrieval/clustering (cliques, topics)	Rule and profile-based (competences)
Data & data gathering	On entering search terms, automated	Tagged bookmarks, voluntarily shared	Questionnaires, automated (profile)
Estimated accuracy	High (works well in specialized scopes; fallback through IR)	Average (requires 'initialization', cf. cold start & sparsity)	Average (rules and profile must be given)
PLE scenario support & usability	Average (not considering PLE design phase); good usability	Good (currently only focusing on PLE designs); usable prototypes	Good (no cold-start problem but restricted to pre-def. domains); average usability
Privacy concerns	Sufficient anonymization	Privacy statement, anonymized activity recordings (=patterns)	Raw usage data not used; user profiles not addressed yet
Preliminary experiences	Preferences for Google results; uptake in business setting better	3 studies; works but requires pilot users sharing patterns (e.g. teachers)	Internal evaluations; efforts to integrate new data; requires modeling expertise

Table 1. Comparison of the three PLE recommender strategies developed in ROLE

Table 1 gives an overview of the strengths and weaknesses of the three recommender solutions which are being developed within the ROLE project. The comparison is conducted along six dimensions, namely (a) the recommender strategy, (b) data and data gathering, (c) the estimated accuracy, (d) the usefulness for the PLE scenario and the usability, (e) privacy issues, and (f) experiences. The comparison evidences that the three recommender approaches in ROLE are based on very different techniques and data-sets, which consequently leads to certain advantages and disadvantages of each PLE recommender. In the following paragraphs we briefly summarize and discuss the characteristics of the three developments.

Collaborative recommendations are realizable with a certain degree of accuracy without threatening the users' privacy (Machanavajjhala et al., 2011). However, this recommender is highly tailored to a specific context, namely information retrieval, as the Binocs widget enables federated search in different media and content repositories. In the scope of PLEs, this recommender supports learners in finding appropriate artifacts for their different activities. Additionally it is possible that the widget points to peers that are relevant to query terms, if privacy policy allows it. However, the widget does not recommend learning activities and does not take learner network structures into account. So, the usefulness of the federated search and collaborative recommendation widget supports learners in the second phase of PLE-based collaboration rather than in designing their environment.

The community-based PLE recommender, on the other hand, has been developed on top of a simple semantic model, namely the notion of activities, which are used to structure one's learning context and to capture information on user interactions and the context. Following a collaborative filtering (CF) approach, the pattern repository provides both recommendations of pre-given (shared) PLE designs in the form of tagged bookmarking collections as well as recommendations on artifacts, tools, and peers generated according to contextual information. Both kinds of recommendations can be requested by a PLE solution through the Web-API, whereby items can be differentiated between 'must-haves' (most frequent items) and 'might-be-of-interest' (items from the long tail; see also (Mödritscher, 2010)). Although perfectly supporting the two phases of the before-mentioned PLE scenario, this recommender suffers from typical weaknesses of CF techniques, namely the cold-start problem (no data on new user and items) and sparsity (no or less user ratings (Adomavicius and Tuzhilin, 2005)). The application of clustering techniques and usage data is currently evaluated in order to refine the recommender algorithm.

Finally, the psycho-pedagogical recommender also supports the two phases of PLE-based learning. On the one hand, a learner can use the planning widget to start an activity and determine her goal. On the other hand, she can use the guidance widget to design and adjust the environment for her current activity. As this recommender is based on a complex and structured semantic model and pre-processed usage data, it has clear advantages if less or no data is given. In this case, the psycho-pedagogical recommender claims to use expert-given rules to suggest goals and/or widgets. On the negative side, it can identify and recommend new items much slower, as the generation of recommendations is at least a semi-controlled process involving pedagogical experts.

With these recommender approaches we believe that we cover the most critical issues for supporting learners in designing and using their PLEs. The most positive aspect of developing these three strategies next to each other concerns the weaknesses of single recommenders we have highlighted before. In case of lacking good recommendations for a specific case - e.g. if the community-based recommender does not have enough data on items or users - the learner can try to make use of suggestions of another recommender. This multi-approach also gives us flexibility to support different scenarios in the very heterogeneous test-beds of the ROLE project. While some

test-beds are based on instructions and organizational driven learning (SJTU, FESTO) others have a strong focus on informal settings and collaboration. Here we can vary the strategies for learner support.

V. Conclusions and future work

To conclude, at this point the three recommenders are at rather different maturity levels. While Binocs is being used by end-users, the pattern repository approach relies on the integration within existing PLE systems to give recommendations to end users, and the psycho-pedagogical recommender lacks the full implementation of all its features. So, next to finishing development work on the latter two recommenders future work also comprises a user study for evaluating the recommenders 'in action'.

Acknowledgements

The authors would like to thank Erik Duval and Sten Govaerts for their valuable comments and suggestions to improve the paper. The research leading to these results has received funding from the European Community's Seventh Framework Programme (FP7/2007-2013) under grant agreement no 231396 (ROLE project).

References

- Adomavicius, G., and A. Tuzhilin. 2005. Toward the Next Generation of Recommender Systems: A Survey of the State-of-the-Art and Possible Extensions. *IEEE Transactions on Knowledge and Data Engineering* 17(6): 734-749.
- Beham, G., B. Kump, T. Ley, and S. Lindstaedt. 2010. Recommending knowledgeable people in a work-integrated learning system. *Procedia Computer Science* 1(2): 2783-2792.
- Broisin, J., M. Brut, V. Butoianu, F. Sedes, and P. Vidal. 2010. A personalized recommendation framework based on cam and document annotations. *Procedia Computer Science* 1(2): 2839-2848.
- Brusilovsky, P., L.N. Cassel, L.M.L. Delcambre, E.A. Fox, R. Furuta, D.D. Garcia, F.M. Shipman III, and M. Yudelson. 2010. Social navigation for educational digital libraries. *Procedia Computer Science* 1(2): 2889-2897.
- Brusilovsky, P., and Henze, N. 2007. Open Corpus Adaptive Educational Hypermedia. In P. Brusilovsky, A. Kobsa, and W. Nejdl, eds.: *The Adaptive Web*. LNCS Vol. 4321, Springer, Berlin, pages 671-696.
- Burke, R. 2002. Hybrid recommender systems: Survey and experiments. *User Modeling and User-Adapted Interaction* 12: 331-370.
- Cano, P., O. Celma, M. Koppenberger, and J.M. Buldú. 2006. Topology of music recommendation networks. *An Interdisciplinary Journal of Nonlinear Science (CHAOS)* 16(1): 013107/1-6.
- Dabbagh, N., and A. Kitsantas. 2004. Supporting Self-Regulation in Student-Centered Web-Based Learning Environments. *International Journal on e-Learning* 3(1): 40-47
- Downes, S. 2010. New Technology Supporting Informal Learning. *Journal of Emerging Technologies in Web Intelligence* 2(1): 27-33.

- Efklides, A. 2009. The role of metacognitive experiences in the learning process. *Psicothema* 21(1): 76-82.
- El Helou, S., D. Gillet, and C. Salzmann. 2010. The 3A Personalized, Contextual and Relation-based Recommender System. *Journal of Universal Computer Science* 16(16): 2179-2195.
- Fruhmann, K., A. Nussbaumer, and D. Albert. 2010. A Psycho-Pedagogical Framework for Self-Regulated Learning in a Responsive Open Learning Environment. *Proceedings of the International Conference eLearning Baltics Science (eLBa Science 2010)*, Rostock, Germany.
- Govaerts, S., S. El Helou, E. Duval, and D. Gillet. 2011a. A Federated Search and Social Recommendation Widget. *Proceedings of the 2nd International Workshop on Social Recommender Systems (SRS 2011)*, Hangzhou, China.
- Govaerts, S., K. Verbert, D. Dahrendorf, C. Ullrich, M. Schmidt, M. Werkle, A. Chatterjee, A. Nussbaumer, D. Renzel, M. Scheffel, M. Friedrich, J.-L. Santos, E. Law, and E. Duval. 2011b. Towards Responsive Open Learning Environments: the ROLE Interoperability Framework. *Proceedings of the EC-TEL 2011 Conference*, Palermo, Italy, pp. 125-138.
- Henri, F., B. Charlier, and F. Limpens. 2008. Understanding PLE as an Essential Component of the Learning Process. *Proceedings of ED-Media 2008 Conference*, Vienna, Austria, pages 3766-3770.
- Kooken, J., T. Ley, and R. De Hoog. 2007. How Do People Learn at the Workplace? Investigating Four Workplace Learning Assumptions. In E. Duval, R. Klamma, and M. Wolpers, eds.: *Creating New Learning Experiences on a Global Scale*. LNCS Vol. 4753, Springer, Heidelberg, pages 158-171.
- Machanavajjhala, A., A. Korolova, and A. Das Sarma. 2011. Personalized Social Recommendations - Accurate or Private? *Proceedings of the VLDB Endowment*, Seattle, Washington, pages 440-450.
- Manouselis, N., H. Drachsler, K. Verbert, and O.C. Santos, eds. 2010. *Proceedings of the 1st Workshop on Recommender Systems for Technology Enhanced Learning (RecSysTEL)*. *Procedia Computer Science* 1(2): 2773-2998.
- Mitchell-Wong, J., R. Kowalczyk, A. Roshelova, B. Joy, and H. Tsai. 2007. Opensocial: From social networks to social ecosystem. *Proceedings of the Digital EcoSystems and Technologies Conference (DEST 2007)*, Cairns, Australia, pages 361-366.
- Mödritscher, F. 2010. Towards a recommender strategy for personal learning environments. *Procedia Computer Science* 1(2): 2775-2782.
- Mödritscher, F., Z. Petrushyna, and E.L.-C. Law. 2011. The Application of Pattern Repositories for Sharing PLE Practices in Networked Communities. *Journal of Universal Computer Science* 17(10): 1492-1510.
- Page, L., S. Brin, R. Motwani, and T. Winograd. 1999. The pagerank citation ranking: Bringing order to the web. *Technical Report 1999-66*, Stanford InfoLab.
- Resnick, P., and H.R. Varian. 1997. Recommender systems. *Communications of the ACM* 40: 56-58.
- Santos, O.C., and J.G. Boticario, eds. 2011. *Educational Recommender Systems and Technologies: Practices and Challenges*. IGI Global, Hershey.

- Santos, O.C., and J.G. Boticario. 2010. Modeling recommendations for the educational domain. *Procedia Computer Science* 1(2): 2793-2800.
- Thai-Nghe, N., L. Drumond, A. Krohn-Grimberghe, and L. Schmidt-Thieme. 2010. Recommender system for predicting student performance. *Procedia Computer Science* 1(2): 2811-2819.
- Ullrich, C., R. Shen, and D. Gillet. 2010. Not Yet Ready for Everyone: An Experience Report about a Personal Learning Environment for Language Learning. In X. Luo, M. Spaniol, L. Wang, Q. Li, W. Nejdl, and W. Zhang, eds.: *Advances in Web-Based Learning - ICWL 2010*. LNCS Vol. 6483, Springer, Berlin, pages 269-278.
- Van Harmelen, M. 2008. Design trajectories: Four experiments in PLE implementation. *Interactive Learning Environments* 16(1): 35-46.
- Verbert, K., H. Drachsler, N. Manouselis, M. Wolpers, R. Vuorikari, and E. Duval. 2011. Dataset-driven Research for Improving Recommender Systems for Learning. *Proceedings of the 1st International Conference on Learning Analytics and Knowledge (LAK 2011)*, Banff, Canada.
- Wang, Y., and K. Sumiya. 2010. Semantic ranking of lecture slides based on conceptual relationship and presentational structure. *Procedia Computer Science* 1(2): 2801-2810.
- Wild, F., F. Mödritscher, and S. Sigurdarson. 2008. Designing for Change: Mash-Up Personal Learning Environments. *eLearning Papers* 9(2008): 1-15, http://www.elearningeuropa.info/out/?doc_id=15055&rsr_id=15972 (accessed March 24, 2011).
- Wilson, S., P.O. Liber, M. Johnson, P. Beauvoir, and P. Sharples. 2007. Personal Learning Environments: Challenging the dominant design of educational systems. *Journal of e-Learning and Knowledge Society* 3(2): 27-28.
- Windschitl, M., and K. Sahl. 2002. Tracing teachers' use of technology in a laptop computer school: The interplay of teacher beliefs, social dynamics, and institutional culture. *American Educational Research Journal* 39: 165-205.

Recommended citation

Mödritscher, F., Krumay, B., El Helou, S., Gillet, D., Nussbaumer, A., Albert, D., Dahn, I. and Ullrich, D. (2011). May I Suggest? Comparing Three PLE Recommender Strategies. *Digital Education Review*, 20, 1-13. Retrieved from: <http://greav.ub.edu/der>

Copyright

The texts published in Digital Education Review are under a license *Attribution-Noncommercial-No Derivative Works 2,5 Spain*, of *Creative Commons*. All the conditions of use in: http://creativecommons.org/licenses/by-nc-nd/2.5/es/deed.en_US

In order to mention the works, you must give credit to the authors and to this Journal. Also, Digital Education Review does not accept any responsibility for the points of view and statements made by the authors in their work.

Subscribe & Contact DER

In order to subscribe to DER, please fill the form at <http://greav.ub.edu/der>